

TravelMate 5740G Specifications (v2-1-1)		
Operating	Genuine Windows <sup>®</sup> 7 Professional 32-bit	
system <sup>1</sup>	Genuine Windows <sup>®</sup> 7 Home Premium 64-bit <sup>2</sup>	
	Genuine Windows <sup>®</sup> 7 Home Basic 64-bit <sup>2</sup>	
CPU/chipset <sup>1</sup>	Intel <sup>®</sup> Core i5-430M/i5-520M/i5-540M processor (3 MB L3 cache, 2.26/2.40/2.53 GHz with Turbo Boost up to 2.53/2.93/3.06 GHz, DDR3 1066 MHz, 35 W), supporting Intel <sup>®</sup> 64 architecture, Intel <sup>®</sup> Smart Cache	
	<pre>Intel<sup>®</sup> Core<sup>™</sup> i3-330M/i3-350M processor (3 MB L3 cache, 2.13/2.26 GHz, DDR3 1066 MHz, 35 W), supporting Intel<sup>®</sup> 64 architecture, Intel<sup>®</sup> Smart Cache</pre>	
	Mobile Intel <sup>®</sup> HM55 Express Chipset	
System memory <sup>1</sup> , 3, 4	Dual-channel DDR3 SDRAM support:	
3, 4	<ul> <li>Up to 4 GB of DDR3 system memory, upgradable to 8 GB using two soDIMM modules<sup>5</sup> (for 64-bit OS)</li> </ul>	
	<ul> <li>Up to 2 GB of DDR3 system memory, upgradable to 4 GB using two soDIMM modules<sup>6</sup> (for 32-bit OS)</li> </ul>	
Display and graphics <sup>1</sup>	15.6" HD 1366 x 768 pixel resolution, high-brightness (220-nit) Acer CineCrystal <sup>™</sup> LED-backlit TFT LCD, supporting simultaneous multi-window viewing via Acer GridVista <sup>™</sup>	
	Mercury free, environment friendly	
	ATI Mobility Radeon <sup>™</sup> HD 5650 with 1024 MB of dedicated DDR3 VRAM, supporting Unified Video Decoder (UVD), OpenEXR High Dynamic-Range (HDR) technology, Shader Model 5.0, Microsoft <sup>®</sup> DirectX <sup>®</sup> 11, OpenGL <sup>®</sup> 3.1, OpenCL <sup>™</sup> 1.1	
	ATI Mobility Radeon <sup>™</sup> HD 5470 with 512 MB of dedicated DDR3 VRAM, supporting Unified Video Decoder (UVD), OpenEXR High Dynamic-Range (HDR) technology, Shader Model 5.0, Microsoft <sup>®</sup> DirectX <sup>®</sup> 11, OpenGL <sup>®</sup> 3.1, OpenCL <sup>™</sup> 1.1	
	Dual independent display support	
	16.7 million colors	
	External resolution/refresh rates <sup>7</sup> :	
	• VGA port up to 2048 x 1536: 85 Hz	
	• HDMI <sup>™</sup> port up to 1920 x 1080: 60 Hz	
	MPEG-2/DVD decoding	
	WMV9 (VC-1) and H.264 (AVC) decoding	

TravelMate 5740G Specifications (v2-1-1)		
	Microsoft <sup>®</sup> DirectX <sup>®</sup> Video Acceleration (DXVA) application interface (API)	
	HDMI <sup>™</sup> (High-Definition Multimedia Interface) with HDCP (High-bandwidth Digital Content Protection) support	
Storage subsystem	$\frac{160/250/320/500/640}{_8}$ GB or larger hard disk drive $^{1}$	
	Multi-in-1 card reader, supporting:	
	<ul> <li>Secure Digital<sup>™</sup> (SD) Card, MultiMediaCard<sup>™</sup> (MMC), Memory Stick<sup>™</sup> (MS), Memory Stick PRO<sup>™</sup> (MS PRO), xD-Picture Card<sup>™</sup> (xD)</li> </ul>	
	8X DVD-Super Multi double-layer drive:	
	<ul> <li>Read: 24X CD-ROM, 24X CD-R, 24X CD-RW, 8X DVD-ROM, 8X DVD-R, 8X DVD+R, 6X DVD-ROM DL, 6X DVD-R DL, 6X DVD+R DL, 6X DVD-RW, 6X DVD+RW, 5X DVD-RAM</li> </ul>	
	<ul> <li>Write: 24X CD-R, 16X CD-RW, 8X DVD-R, 8X DVD+R, 4X DVD-R DL, 4X DVD+R DL, 6X DVD-RW, 8X DVD+RW, 5X DVD-RAM</li> </ul>	
Dimensions and weight	381 (W) x 253 (D) x 23/34.15 (H) mm (14.96 x 9.96 x 0.91/1.34 inches)	
	2.6 kg $(5.73 \text{ lbs.})^9$ with 6-cell battery pack	
Power adapter and battery	ACPI 3.0 CPU power management standard: supports Standby and Hibernation power-saving modes	
	3-pin 90 W AC adapter:	
	• 133 (W) x 59 (D) x 31 (H) mm (5.23 x 2.32 x 1.22 inches)	
	• 390 g (0.86 lbs.) <sup>9</sup> with 180 cm DC cable	
	Acer QuicCharge <sup>™</sup> technology <sup>10</sup> :	
	• 80% charge in 1 hour	
	• 2-hour rapid charge system-off	
	48.8 W 4400 mAh 6-cell Li-ion standard battery pack	
	Estimated battery life: up to 3.1 hours <sup>11</sup> ENERGY STAR <sup>®</sup>	
Input devices	105-/106/109-key keyboard with inverted "T" cursor layout	
	Multi-gesture touchpad, supporting two-finger scroll, pinch, rotate, flip	
	10 function keys, four cursor keys, two Windows <sup>®</sup> keys, hotkey controls, embedded numeric keypad, international language support, independent US	

TravelMate 5740G Specifications (v2-1-1)		
	dollar and Euro symbol keys	
	Media control keys (printed on keyboard): play/pause, stop, previous, next	
Audio	Two built-in stereo speakers	
	High-definition audio support	
	Built-in microphone	
	MS-Sound compatible	
Communication	Acer Video Conference <sup>1</sup> , featuring:	
	<ul> <li>Acer Crystal Eye high-def webcam, 1280 x 1024 resolution</li> </ul>	
	WLAN <sup>1, 12, 13</sup> :	
	<ul> <li>Acer InviLink<sup>™</sup> Nplify<sup>™</sup> 802.11b/g/n Wi-Fi CERTIFIED<sup>™</sup></li> </ul>	
	• Acer InviLink <sup>™</sup> 802.11b/g Wi-Fi CERTIFIED <sup>™</sup>	
	<ul> <li>Supporting Acer SignalUp<sup>™</sup> wireless technology</li> </ul>	
	WPAN <sup>1</sup> : Bluetooth <sup>®</sup> 2.1+EDR	
	LAN: Gigabit Ethernet, Wake-on-LAN ready	
	WWAN <sup>1</sup> : UMTS/HSPA at $850/900/1900/2100$ MHz and quad-band GSM/GPRS/EDGE ( $850/900/1800/1900$ MHz) upgradeable to 7.2 Mb/s HSDPA and 5.7 Mb/s HSUPA	
I/O interface	Multi-in-1 card reader (SD <sup>™</sup> , MMC, MS, MS PRO, xD)	
	Three USB 2.0 ports	
	HDMI <sup>™</sup> port with HDCP support	
	External display (VGA) port	
	Headphone/speaker/line-out jack	
	Microphone-in jack	
	Ethernet (RJ-45) port	
	DC-in jack for AC adapter	
Security	BIOS user, supervisor, HDD passwords Kensington lock slot	
Software	Acer 3G Connection Manager <sup>1</sup>	
	Acer Crystal Eye <sup>1</sup>	
	Acer Launch Manager	
	Acer Video Conference Manager <sup>1</sup>	
	Adobe <sup>®</sup> Flash <sup>®</sup> Player	
	Adobe® Reader®	
	Corel <sup>®</sup> WinDVD <sup>®</sup>	
	eSobi™	

TravelMate 5740G Specifications (v2-1-1)			
	Google <sup>™</sup> Toolbar		
	McAfee <sup>®</sup> Internet Security Suite Trial <sup>14</sup>		
	Microsoft <sup>®</sup> Office Professional 2007 Trial (Service Pack 2)		
	Microsoft <sup>®</sup> Office Personal 2007 (Service Pack 2) $(Japan only)^1$		
	Microsoft <sup>®</sup> Silverlight		
	Norton <sup>™</sup> Online Backup		
	NTI Media Maker™		
	Skype™		
	Windows Live <sup>™</sup> Essentials		
Optional items	1 GB / 2 GB / 4 GB DDR3 1066 MHz soDIMM module		
	6-cell Li-ion battery pack		
	3-pin 90 W AC adapter		
System compliance	Wi-Fi®		
	ACPI 3.0		
	Mobile PC 2002		
	DMI 2.0		
Warranty	One-year International Travelers Warranty (ITW)		
Quality and reliability tests	Temperature and humidity		
	Hinge life		
	Weight and pressure		
	Acoustics		
	Spillage		
	Free drop		
	Shock and vibration		
	Electrostatic discharge immunity		
	Keyboard-switch life		
	MTBF (mean time between failures)		
Windows $^{\circ}$ . Life wi	Windows $^{\scriptscriptstyle (\!\!\!\!\!\!\!^{\mathrm{o}}\!\!\!\!\!^{\mathrm{o}}\!\!\!\!\!^{\mathrm{o}}\!\!\!\!^{\mathrm{o}}}$ . Acer recommends Windows 7.		

- 1. Specifications vary depending on model.
- 2. 64-bit software is required to enjoy the advantages of 64-bit processing.
- 3. Shared system memory may be allocated to support graphics, depending on system memory size and other factors. Actual system memory available to the operating system will be reduced by the amount of dedicated and shared system memory utilized by the graphics solution and resources required by the operating

## TravelMate 5740G Specifications (v2-1-1)

environment.

- 4. This system is bundled with DDR3 1066 MHz memory; however, memory speed may vary depending on CPU/chipset support.
- 5. A 64-bit operating system is required to enjoy the ultimate performance of 4 GB or higher memory.
- 6. 32-bit operating systems are limited to using 3 GB of the available memory.
- 7. Resolution/refresh rates depend on display capability and color/depth settings.
- 8. 1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Acer eRecovery Management utilizes up to 10 GB of the stated hard disk capacity as dedicated backup space.
- 9. Weight may vary depending on product configuration, vendor components, manufacturing variability, and selected options.
- 10. Supported on 4400, 4800 and 5200 mAh battery packs only.
- 11. Your computer's battery life may vary depending on product specifications, computer settings, and applications or features launched. The listed battery life is for individual battery packs tested with MobileMark 2007 in productivity test mode, and with wireless connection on. All batteries' maximum capacity will diminish with time and use.
- 12. Actual throughput may vary depending on network conditions and environmental factors such as network traffic or overhead, building construction, and access point settings.
- 13. Acer Nplify<sup>™</sup>, a high-throughput wireless solution, delivers superior performance and reliable connections while enabling emerging voice, video and data applications. Wi-Fi CERTIFIED<sup>™</sup>, it supports Acer SignalUp<sup>™</sup> wireless technology and is compliant with 802.11 a/b/g/n and 802.11 b/g standards.
- 14. Trial periods vary depending on the geographic region and specifications: 365-day trial for China, Taiwan, Hong Kong and Singapore (Simplified Chinese and Traditional Chinese OS models); 60-day trial for other regions.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region.

© 2010. All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation. Intel is a registered trademark of Intel Corporation.

## About Acer

Since its founding in 1976, Acer has pursued the goal of breaking the barriers between people and technology. Globally, Acer ranks top 3 for total PCs and No. 2 for notebooks, with the fastest growth among the top-five players. A profitable and sustainable Channel Business Model is instrumental to Acer's continued growth, while the successful acquisitions of Gateway and Packard Bell complete the company's global footprint by strengthening its presence in the U.S. and enhancing its strong position in Europe. Acer is proud to be a Worldwide Partner of the Olympic Movement in staging the Vancouver

