

Aspire 4830TG Specifications (v5-1-1)			
Operating system <sup>1</sup>	Genuine Windows® 7 Home Premium 64-bit²		
	Genuine Windows® 7 Home Basic 64-bit²		
CPU and chipset <sup>1</sup>	Intel <sup>®</sup> Core <sup>™</sup> i7-2620M processor (4 MB L3 cache, 2.70 GHz with Turbo Boost up to 3.40 GHz, DDR3 1333 MHz, 35 W), supporting Intel <sup>®</sup> 64 architecture, Intel <sup>®</sup> Smart Cache		
	Intel® Core <sup>™</sup> i5-2410M/i5-2520M/i5-2540M processor (3 MB L3 cache, 2.30/2.50/2.60 GHz with Turbo Boost up to 2.90/3.20/3.30 GHz, DDR3 1333 MHz, 35 W), supporting Intel® 64 architecture, Intel® Smart Cache		
	Intel <sup>®</sup> Core <sup>™</sup> i3-2310M/i3-2330M processor (3 MB L3 cache, 2.10/2.20 GHz, DDR3 1333 MHz, 35 W), supporting Intel <sup>®</sup> 64 architecture, Intel <sup>®</sup> Smart Cache		
	Mobile Intel® HM65 Express Chipset		
System memory <sup>1,</sup>	Dual-channel DDR3 SDRAM support		
3, 4	<ul> <li>Up to 4 GB of DDR3 system memory, upgradable to 8 GB using two soDIMM modules<sup>5</sup></li> </ul>		
Display	14" HD 1366 x 768 resolution, high-brightness (200-nit) Acer CineCrystal <sup>™</sup> LED-backlit TFT LCD		
	Mercury-free, environment-friendly		
	Super-slim design		
	16:9 aspect ratio		
Graphics	NVIDIA® GeForce® GT 540M with NVIDIA® Optimus <sup>™</sup> technology, up to 4095³ MB of TurboCache <sup>™</sup> (2048 MB of dedicated DDR3 VRAM, up to 2047³ MB of shared system memory), supporting NVIDIA® CUDA <sup>™</sup> , PhysX <sup>™</sup> , PureVideo® HD technology, OpenEXR High Dynamic-Range (HDR) technology, Shader Model 5.0, Microsoft® DirectX® 11		
	NVIDIA <sup>®</sup> GeForce <sup>®</sup> GT 540M with NVIDIA <sup>®</sup> Optimus <sup>™</sup> technology, up to 4095 <sup>3</sup> MB of TurboCache <sup>™</sup> (1024 MB of dedicated DDR3 VRAM, up to 3071 <sup>3</sup> MB of shared system memory, supporting NVIDIA <sup>®</sup> CUDA <sup>™</sup> , PhysX <sup>™</sup> , PureVideo <sup>®</sup> HD technology, OpenEXR High Dynamic-Range (HDR) technology, Shader Model 5.0, Microsoft <sup>®</sup> DirectX <sup>®</sup> 11		
	Dual independent display support		
	16.7 million colors		
	External resolution / refresh rates:6		
	<ul> <li>VGA port up to 2048 x 1536: 85 Hz</li> </ul>		
	<ul> <li>HDMI<sup>®</sup> port up to 1920 x 1080: 60 Hz</li> </ul>		
	MPEG-2/DVD decoding		

Aspire 4830TG Specifications (v5-1-1)			
	WMV9 (VC-1) and H.264 (AVC) decoding		
	MPEG-4 Part 2 DivX® decoding		
	HDMI® (High-Definition Multimedia Interface) with HDCP (High-bandwidth Digital Content Protection) support		
Audio	Optimized Dolby <sup>®</sup> Home Theater <sup>®</sup> v4 audio enhancement, featuring Audio Optimizer, Audio Regulator, Volume Leveler, Volume Maximizer, Intelligent EQ, Dialogue Enhancer, Surround Virtualizer for Headphones, Surround Virtualizer for Built-in Speakers, and Dolby <sup>®</sup> Digital Output technologies <sup>7</sup>		
	Two built-in Acer 3DSonic stereo speakers		
	High-definition audio support		
	S/PDIF (Sony/Philips Digital Interface) <sup>8</sup> support for digital speakers		
	MS-Sound compatible		
	Built-in digital microphone		
Storage	Hard disk drive		
	• 250/320/500/640/750 GB or larger <sup>1, 9</sup>		
	Solid state drive		
	• 80/120/160 GB or larger <sup>1, 9</sup>		
	Multi-in-1 card reader, supporting:		
	<ul> <li>Secure Digital<sup>™</sup> (SD) Card, SD Extended Capacity (SDXC<sup>™</sup>) Card, MultiMediaCard<sup>™</sup> (MMC), Memory Stick (MS), Memory Stick PRO<sup>™</sup> (MS PRO), xD-Picture Card<sup>™</sup> (xD)</li> </ul>		
Optical media	8X DVD-Super Multi double-layer drive:		
drive	<ul> <li>Read: 24X CD-ROM, 24X CD-R, 24X CD-RW, 8X DVD-ROM, 8X DVD-R, 8X DVD+R, 6X DVD-ROM DL, 4X DVD-R DL, 4X DVD+R DL, 6X DVD-RW, 6X DVD+RW, 5X DVD-RAM</li> </ul>		
	<ul> <li>Write: 24X CD-R, 16X CD-RW, 8X DVD-R, 8X DVD+R, 4X DVD-R DL, 4X DVD+R DL, 6X DVD-RW, 8X DVD+RW, 5X DVD-RAM</li> </ul>		
Webcam	Acer Video Conference, <sup>1</sup> featuring:		
	<ul> <li>Acer Crystal Eye webcam with 1280 x 1024 resolution</li> </ul>		
	<ul> <li>Acer Video Conference Manager software, featuring Video Quality Enhancement (VQE) technology, supporting 640 x 480 resolution online video calls<sup>10</sup></li> </ul>		

Aspire 4830TG Specifications (v5-1-1)			
Wireless and networking	WLAN: <sup>1, 11, 12</sup>		
	•	Acer InviLink <sup>™</sup> Nplify <sup>™</sup> 802.11b/g/n Wi-Fi CERTIFIED <sup>™</sup>	
	•	Acer InviLink <sup>™</sup> 802.11b/g Wi-Fi CERTIFIED <sup>™</sup>	
	•	Intel <sup>®</sup> Centrino <sup>®</sup> Advanced-N 6205, 802.11a/b/g/n Wi-Fi CERTIFIED <sup>™</sup> with Acer Nplify <sup>™</sup> , featuring MIMO technology	
	•	Supporting Acer SignalUp <sup>™</sup> wireless technology	
	WPAN: <sup>1</sup>		
	•	Bluetooth® 3.0+HS	
	•	Bluetooth® 2.1+EDR	
	quad-b	l: <sup>1, 11</sup> UMTS/HSPA at 850/900/1900/2100 MHz and and GSM/GPRS/EDGE at 850/900/1800/1900 MHz, lable to 7.2 Mb/s HSDPA and 5.7 Mb/s HSUPA	
	LAN: G	Sigabit Ethernet, Wake-on-LAN ready	
Privacy control	BIOS user, supervisor, HDD passwords		
	Kensin	gton lock slot	
Dimensions and	Dimensions		
woight			
weight		W) x 239 (D) x 22.6/29.9 (H) mm (13.33 X 9.41 X 0.89/1.18 with embedded 6-cell battery pack	
weight		with embedded 6-cell battery pack	
weight	inches Weigh	with embedded 6-cell battery pack	
weight  Power adapter and battery <sup>1</sup>	weigh 2.17 kg	with embedded 6-cell battery pack  t	
Power adapter	Weigh 2.17 kg ACPI 3 and Hil	with embedded 6-cell battery pack  t  g (4.88 lbs.) <sup>13</sup> with embedded 6-cell battery  3.0 CPU power management standard: supports Standby	
Power adapter	Weigh 2.17 kg ACPI 3 and Hil	with embedded 6-cell battery pack  t  g (4.88 lbs.) <sup>13</sup> with embedded 6-cell battery  8.0 CPU power management standard: supports Standby bernation power-saving modes	
Power adapter	Weigh 2.17 kg ACPI 3 and Hil	with embedded 6-cell battery pack  t  g (4.88 lbs.) <sup>13</sup> with embedded 6-cell battery  3.0 CPU power management standard: supports Standby bernation power-saving modes  adapter	
Power adapter	Weigh 2.17 kg ACPI 3 and Hil	t  g (4.88 lbs.) <sup>13</sup> with embedded 6-cell battery  8.0 CPU power management standard: supports Standby bernation power-saving modes  adapter  0 W AC adapter:	
Power adapter	Weigh 2.17 kg ACPI 3 and Hil	with embedded 6-cell battery pack  t  g (4.88 lbs.) <sup>13</sup> with embedded 6-cell battery  8.0 CPU power management standard: supports Standby bernation power-saving modes  adapter  0 W AC adapter:  126 (W) x 51 (D) x 31 (H) mm (4.96 x 2 x 1.22 inches)  332 g (0.73 lbs.) <sup>13</sup> with 180 cm DC cable	
Power adapter	Weigh 2.17 kg ACPI 3 and Hil Power 3-pin 9	t  g (4.88 lbs.) <sup>13</sup> with embedded 6-cell battery  8.0 CPU power management standard: supports Standby bernation power-saving modes  adapter  0 W AC adapter:  126 (W) x 51 (D) x 31 (H) mm (4.96 x 2 x 1.22 inches)  332 g (0.73 lbs.) <sup>13</sup> with 180 cm DC cable  y  owerSmart long-life battery, supporting up to 1,000 charge	
Power adapter	Meigh 2.17 kg ACPI 3 and Hil Power 3-pin 9  Batter Acer P cycles	t  g (4.88 lbs.) <sup>13</sup> with embedded 6-cell battery  8.0 CPU power management standard: supports Standby bernation power-saving modes  adapter  0 W AC adapter:  126 (W) x 51 (D) x 31 (H) mm (4.96 x 2 x 1.22 inches)  332 g (0.73 lbs.) <sup>13</sup> with 180 cm DC cable  y  owerSmart long-life battery, supporting up to 1,000 charge	
Power adapter	Meigh 2.17 kg ACPI 3 and Hil Power 3-pin 9  Batter Acer P cycles 66.0 W	t g (4.88 lbs.) <sup>13</sup> with embedded 6-cell battery 3.0 CPU power management standard: supports Standby bernation power-saving modes adapter 0 W AC adapter: 126 (W) x 51 (D) x 31 (H) mm (4.96 x 2 x 1.22 inches) 332 g (0.73 lbs.) <sup>13</sup> with 180 cm DC cable  y owerSmart long-life battery, supporting up to 1,000 charge	

Aspire 4830TG Specifications (v5-1-1)			
Input and control <sup>1</sup>	Keyboard		
	86-/87-/91-key Acer FineTip keyboard with international language support		
	Touchpad		
	Multi-gesture touchpad, supporting two-finger scroll, pinch, rotate,		
	flip Media keys		
	Media control keys (printed on keyboard): play/pause, stop,		
	previous, next, volume up, volume down		
	Control key		
	Acer PowerSmart key		
Input and output	Multi-in-1 card reader (SD <sup>™</sup> , MMC, MS, MS PRO, xD)		
	One USB 3.0 port featuring power-off USB charging <sup>1</sup>		
	Two USB 2.0 ports		
	HDMI® port with HDCP support		
	External display (VGA) port Headphone/speaker jack with S/PDIF support		
	Microphone-in jack		
	Ethernet (RJ-45) port		
	DC-in jack for AC adapter		
Software <sup>16</sup>	Productivity		
	Acer Backup Manager <sup>1</sup>		
	Acer PowerSmart Manager <sup>1</sup>		
	Acer eRecovery Management		
	Adobe <sup>®</sup> Flash <sup>®</sup> Player 10.1		
	Adobe <sup>®</sup> Reader <sup>®</sup> 9.1		
	AUPEO! (US only)		
	Bing <sup>™</sup> Bar		
	• eSobi <sup>™</sup>		
	Kobo (Canada only)		
	<ul> <li>Microsoft<sup>®</sup> Office 2010 preloaded (purchase a product key to activate)<sup>17</sup></li> </ul>		
	Microsoft® Office Starter 2010 <sup>18</sup>		
	Microsoft® Office Personal 2010(Japan only)		
	New York Times Reader (US only)		
	Nook for PC (US only)		

# Aspire 4830TG Specifications (v5-1-1) Norton<sup>™</sup> Online Backup Security McAfee<sup>®</sup> Internet Security Suite Trial<sup>19</sup> • MyWinLocker®1 (except China, Hong Kong) Multimedia Acer Clear.fi NTI Media Maker<sup>™</sup> Gaming Oberon GameZone<sup>1</sup> (except US, Canada, Hong Kong, • WildTangent<sup>®1</sup> (US, Canada only) **Communication and ISP** Acer Crystal Eye Acer Video Conference Manager<sup>1</sup> Microsoft® Silverlight™ Skype<sup>™</sup> Windows Live<sup>™</sup> Essentials 2011 Web links and utilities Acer Accessory Store<sup>1</sup> (Belgium, France, Germany, Italy, Netherlands, Spain, Sweden, UK only) Acer Identity Card Acer Registration Acer Updater eBay<sup>®</sup> shortcut 2009<sup>1</sup> (Canada, France, Germany, Italy, Mexico, Spain, UK, US only) • Netflix shortcut<sup>1</sup> (US,Canada only) **Optional items** 1/2/4 GB DDR3 soDIMM module 250/320/500/640/750 GB hard disk drive 3-pin 90 W AC adapter One-year International Travelers Warranty (ITW) Warranty

Windows<sup>®</sup>. Life without Walls<sup>™</sup>. Acer recommends Windows 7.

- 1. Specifications vary depending on model.
- 2. 64-bit software is required to enjoy the advantages of 64-bit processing.
- 3. Shared system memory may be allocated to support graphics, depending on

### Aspire 4830TG Specifications (v5-1-1)

system memory size and other factors. Actual system memory available to the operating system will be reduced by any memory used by the graphics solution and resources required by the operating environment. Total available graphics memory comprises dedicated video memory, system memory, and shared system memory. This figure will vary depending on system memory, installed drivers, BIOS settings and other factors

- 4. This system is bundled with DDR3 1066 MHz memory; however, memory speed may vary depending on CPU/chipset support.
- 5. A 64-bit operating system is required to enjoy the ultimate performance of 4 GB or higher memory.
- 6. Resolution/refresh rates depend on display and color/depth settings.
- 7. Dolby<sup>®</sup> is a registered trademark of Dolby<sup>®</sup> Laboratories. Dolby<sup>®</sup> Home Theater<sup>®</sup> is a trademark of Dolby<sup>®</sup> Laboratories.
- 8. Supports 7.1-channel surround sound and 2-channel stereo output (multiple streaming).
- 1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Acer eRecovery Management utilizes up to 10 GB of the stated hard disk capacity as dedicated backup space.
- 10. Two VQE-enabled Acer notebooks with dual-core processors are required to enjoy the exclusive benefits and added performance of VQE.
- 11. Actual throughput may vary depending on network conditions and environmental factors such as network traffic or overhead, building construction, and access point settings.
- 12. Acer Nplify<sup>™</sup>, a high-throughput wireless solution, delivers superior performance and reliable connections while enabling emerging voice, video and data applications. Wi-Fi CERTIFIED<sup>™</sup>, it supports Acer SignalUp<sup>™</sup> wireless technology and is compliant with 802.11a/b/g/n and 802.11b/g standards.
- 13. Weight may vary depending on product configuration, vendor components, manufacturing variability, and selected options.
- 14. The battery will hold up to 80% of its original capacity after as many as 1,000 recharges. A full recharge comprises a complete charge-and-discharge cycle, and does not always occur each time the notebook is plugged in to a power source, as several partial charges can add up to a full recharge.
- 15. The listed battery life is based on MobileMark 2007<sup>®</sup> productivity mode testing with wireless on. Details of MobileMark2007<sup>®</sup> testing are available at www.bapco.com. Battery life rating is for comparison purposes only. Actual battery life varies by model, configuration, applications, power management settings, operating conditions, and utilized features. A battery's maximum capacity decreases with time and use.
- 16. Bundled software may vary depending on hardware configuration, OS and regional availability.
- 17. Purchase an Office 2010 product key to activate one of the following Office 2010 suites preloaded on this PC: Office Home and Student 2010, Office Home and Business 2010, Office Professional 2010.
- 18. Includes limited-functionality Microsoft® Word and Excel with advertising; no

#### Aspire 4830TG Specifications (v5-1-1)

PowerPoint or Outlook, Purchase Office 2010 to activate full-featured Office.

19. Trial periods vary depending on the geographic region and specifications: 365-day trial for China, Taiwan, Hong Kong and Singapore (Simplified Chinese and Traditional Chinese OS models); 60-day trial for other regions.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region.

As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of TFT LCD technology, not a product defect, and as such is not covered by Acer's warranty.

© 2011. All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation. Intel, Intel Core and Core Inside are trademarks of Intel Corporation in the U.S. and other countries.

#### **About Acer**

Since its founding in 1976, Acer has achieved the goal of breaking the barriers between people and technology. Globally, Acer ranks No. 2 for total PCs and notebooks. A profitable and sustainable Channel Business Model is instrumental to the company's continuing growth, while its multi-brand approach effectively integrates Acer, Gateway, Packard Bell, and eMachines brands in worldwide markets. Acer strives to design environmentally friendly products and establish a green supply chain through collaboration with suppliers. Acer is proud to be a Worldwide Partner of the Olympic Movement, including the Vancouver 2010 Olympic Winter and London 2012 Olympic Games. The Acer Group employs 7,000 people worldwide. 2009 revenues reached US\$17.9 billion. See www.acer-group.com for more information.



































## Aspire 4830TG Specifications (v5-1-1)



























