*e*machines[®]

E640 Specification	E640 Specifications (v3-0-1)	
Operating system ¹	Genuine Windows [®] 7 Home Premium 64-bit ²	
	Genuine Windows [®] 7 Home Basic 64-bit ²	
CPU/chipset ¹	AMD Phenom [™] II quad-core mobile processor N930 (2 MB L2 cache, 2 GHz, 1333 MHz FSB, 35 W)	
	AMD Phenom [™] II triple-core mobile processor N830 (1.5 MB L2 cache, 2.10 GHz, 1333 MHz FSB, 35 W)	
	AMD Turion [™] II dual-core mobile processor P520/N530 (2 MB L2 cache, 2.30/2.50 GHz, 1066 MHz FSB, 25/35 W)	
	AMD AthIon [™] II dual-core processor P320/N330 (1 MB L2 cache, 2.10/2.30 GHz, 1066 MHz FSB, 25/35 W)	
	AMD M880G Chipset	
System memory ^{1,}	Dual-channel DDR3 SDRAM support:	
3,4	 Up to 4 GB of DDR3 1066 MHz memory, upgradable to 8 GB using two soDIMM modules⁵ 	
Display	15.6" HD 1366 x 768 pixel resolution, high-brightness (220-nit) with glare panel	
	Mercury free, environment friendly	
	16:9 aspect ratio	
Graphics ¹	ATI Radeon [™] HD 4250 Graphics with 256 MB of dedicated system memory, supporting Unified Video Decoder 2 (UVD2), OpenEXR High Dynamic-Range (HDR) technology, Shader Model 4.1, Microsoft [®] DirectX [®] 10.1	
	Dual independent display support	
	16.7 million colors	
	External resolution / refresh rate ⁶ :	
	• VGA port up to 2456 x 1536: 60 Hz	
	 HDMI[™] port up to 1920 x 1080: 60 Hz 	
	MPEG-2/DVD decoding	
	WMV9 (VC-1) and H.264 (AVC) decoding	
	HDMI [™] (High-Definition Multimedia Interface) with HDCP (High-bandwidth Digital Content Protection) support	
Audio	High-definition audio support with two built-in stereo speakers	
	MS-Sound compatible	
Storage	160/250/320/500/640 GB or larger hard disk drive ^{1, 7}	
	Multi-in-1 card reader, supporting Secure Digital [™] (SD), MultiMediaCard [™] (MMC), Memory Stick [™] (MS), Memory Stick PRO [™] (MS PRO), xD-Picture Card [™] (xD)	

E640 Specifications (v3-0-1)		
drive	 Read: 24X CD-ROM, 24X CD-R, 24X CD-RW, 8X DVD-ROM, 8X DVD-R, 8X DVD+R, 8X DVD-ROM DL, 6X DVD-R DL, 6X DVD+R DL, 8X DVD-RW, 8X DVD+RW, 5X DVD-RAM 	
	 Write: 24X CD-R, 24X CD-RW, 8X DVD-R, 8X DVD+R, 6X DVD-R DL, 6X DVD+R DL, 6X DVD-RW, 8X DVD+RW, 5X DVD-RAM 	
Communication	Video Conferencing solution ¹ , featuring:	
	Webcam with 1280 x 1024 resolution	
	WLAN ⁸ :	
	 802.11b/g/n Wi-Fi CERTIFIED[™] 	
	 802.11b/g Wi-Fi CERTIFIED[™] 	
	WPAN ¹ :	
	Bluetooth [®] 2.1+EDR	
	Bluetooth [®] 3.0+HS	
	LAN: Gigabit Ethernet, Wake-on-LAN ready	
Dimensions and weight ¹	381 (W) x 253 (D) x 25/30 (H) mm (14.96 x 9.9 x 0.98/1.18 inches)	
	2.6 kg (6.37 lbs.) with 6-cell battery pack ⁹	
Power adapter and battery ¹	ACPI 3.0 CPU power management standard: supports Standby and Hibernation power-saving modes 3-pin 65 W AC adapter:	
	 108 (W) x 46 (D) x 29.5 (H) mm (4.25 x 1.81 x 1.16 inches) 	
	• 225 g (0.49 lbs.) ⁹ with 180 cm DC cable	
	4400 mAh 6-cell Li-ion standard battery pack	
	Estimated battery life: Up to 3.7 hours ¹⁰	
	ENERGY STAR®	
Special controls	99-/100-/103-key keyboard	
	Multi-gesture touchpad, supporting two-finger scroll, pinch, rotate, flip	
	Nine function keys, four cursor keys, Windows [®] key, international language support	
I/O ports	Multi-in-1 card reader (SD [™] , MMC, MS, MS PRO, xD)	
	Three USB 2.0 ports	
	HDMI [™] port with HDCP support	
	External display (VGA) port	
	Headphone/speaker/line-out jack	
	Microphone-in jack	

E640 Specifications (v3-0-1)		
	Ethernet (RJ-45) port	
	DC-in jack for AC adapter	
Software ¹¹	Productivity	
	eMachines Power Management	
	eMachines Recovery Management	
	Adobe [®] Flash [®] Player 10	
	Adobe [®] Reader [®] 9.1	
	 Google Toolbar[™] 	
	 Microsoft[®] Works SE 9¹ (Brazil, Canada, France, Germany, Poland, Russia, UK and US only) 	
	Microsoft [®] Works 9	
	Microsoft [®] Works 8.5	
	 Norton[™] Online Backup 	
	Security	
	 Norton Internet Security[™] 2010 	
	Multimedia	
	 Corel[®] WinDVD¹ (for models with Windows[®] 7 Starter and Basic) 	
	 NTI Media Maker[™] 	
	Gaming	
	 WildTangent^{®1} (except China, Japan, Hong Kong, Korea) 	
	Communication and ISP	
	 Microsoft[®] Silverlight[™] 	
	 Skype[™] 	
	 Windows Live[™] Essentials — Wave 3 (Mail, Photo Gallery, Live[™] Messenger, Writer) 	
	Web links and utilities	
	eMachines Identity Card	
	eMachines Registration	
	eMachines Updater	
Optional items	1 GB / 2 GB/4GB DDR3 1066 MHz soDIMM module	
	3-pin 65 W AC adapter	
	4400 mAh 6-cell Li-ion battery pack	
Windows [®] . Life without Walls [™] . eMachines recommends Windows 7.		
1. Specifications vary depending on model.		

E640 Specifications (v3-0-1)

- 2. 64-bit software is required to enjoy the advantages of 64-bit processing.
- 3. This system is bundled with DDR3 1066 MHz memory; however, memory speed may vary depending on CPU/chipset support.
- 4. Shared system memory may be allocated to support integrated graphics, depending on system memory size and other factors. Actual system memory available to the operating system will be reduced by the amount of dedicated and shared system memory utilized by the graphics solution and resources required by the operating environment.
- 5. A 64-bit operating system is required to enjoy the ultimate performance of 4 GB or higher memory.
- 6. Resolution/refresh rates depend on display capability and color/depth settings.
- 7. 1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and the operating environment. eMachines Recovery Management utilizes up to 10 GB of the stated hard disk capacity as dedicated backup space.
- 8. Actual throughput may vary depending on network conditions and environmental factors such as network traffic or overhead, building construction and access point settings.
- 9. Weight may vary depending on product configuration, vendor components, manufacturing variability, and selected options.
- 10. Your computer's battery life may vary depending on product specifications, computer settings, and applications or features launched. The listed battery life is for individual battery packs tested with MobileMark 2007 in productivity test mode, and with wireless connection on. All batteries' maximum capacity will diminish with time and use.
- 11. Bundled software may vary depending on hardware configuration, OS, and regional availability.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region.

As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of TFT LCD technology, not a product defect, and as such is not covered by warranty.

© 2010. All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation.

About eMachines

eMachines, renowned for offering maximum value and functionality, is part of the Acer family of technology products. Acer Inc. is the world's second-largest PC company. Through collaboration with suppliers, the company strives to design environmentally friendly products and establish a green supply chain. See www.emachines.com for more information.

